

EverNew[®]

Railing, Porch & Decking Systems

CertainTeed
SAINT-GOBAIN

Welcome to the Decking & Railing Collection.

For more than 100 years, homeowners and building professionals have trusted CertainTeed for the highest quality building products, and continually setting the standards for exciting innovations in style and performance.

Today, that spirit of innovation comes to life in the CertainTeed Decking & Railing Collection with the industry's leading array of colors, styles, and performance. The EverNew® railing product lines offer a combination of superior quality and style that has become the premier choice of homeowners and building professionals.

The comforts of home are no longer defined by four walls. Outside living spaces are “in” as porches, yards and gardens are transformed into beautiful open-air rooms. If you're longing for the joys of fresh air living, CertainTeed can help. Our Living Spaces® exterior products suite, including siding, soffit and accessories, porch, decking, railing, fence and roofing products, offers everything you need to create and define your own great outdoors.





Our CertainTeed CurbAppeal™ exterior products include everything you need for a well-coordinated design that blends authentic styles and textures, sustainable products and the broadest color selection on the market. CertainTeed products are engineered to stay beautiful season after season, creating wonderful outdoor living spaces with minimal maintenance and more time to connect with family and friends.

 facebook.com/certainteedcurbappeal

 youtube.com/ctCurbAppeal

Composite Railing Collection

Panorama® 8

Vinyl Railing Collection

Oxford Routed Railing System..... 12

Oxford Bracketed Railing System..... 16

Kingston Bracketed Railing System 20

Vinyl Railing Accessories 24

Decking

EverNew® Vinyl Decking 28

Decking Accessory

UnderShield® 30

Porch Posts, Wraps & Columns

Structural Porch Posts..... 32

Structural Columns 32

Certa-Snap® Wrap 33

Product Matrix 34

On Cover

Siding: Cedar Impressions® Double 7" Staggered Perfection Shingles in autumn red.

Railing: Kingston with square balusters in white.

Panorama in white with straight steel balusters in antique bronze finish.

Colors throughout this brochure are simulated. Consult product samples before making final selection.

Adding Color to your space...

Complement your deck with EverNew railing colors.

Black

Rustic Rose

Warm Spice

Clay

Almond


White

Dramatic dark railing colors

EverNew's dark colors are designed to complement almost any deck color. Rustic rose, a deep red brown, and warm spice, a rich yellow-brown are available in both Oxford and Kingston. And our darkest color, black, is available in all railing product lines, including Panorama®.



No matter what deck material or color you use, EverNew



® has a railing to coordinate.

Color Note: When installing dark colored product, keep stored in a shady/cooler area and out of direct sunlight prior to installation.

Kingston with square balusters in black.

Our commitment to safety

CertainTeed products meet stringent requirements for quality and performance. Safe, secure and durable, our railing and deck systems are engineered to provide years of worry-free enjoyment.

Performance that lasts

EverNew® railing products are designed to maintain their integrity over time. Products made of wood may meet code when they're brand new, but can weaken over time — especially after prolonged exposure to the elements. This is an important concern if you're installing railing as a safety barrier on balconies and stairs.

EverNew ensures long-lasting performance by building security into every railing system. Our railing features heavy-duty construction for enduring strength. When it comes to rail-to-post connections, simply using plastic brackets isn't enough. EverNew offers concealed corrosion-resistant stainless steel brackets on our composite railing, and aluminum brackets concealed with molded vinyl covers on our vinyl railing, for critical protection from the elements.

Meeting the standards of the ICC

The ICC (International Code Council) is an independent, nonprofit organization responsible for the development of national model construction codes. The ICC Evaluation Service, Inc. (ICC-ES) is the leading source of technical information on building codes, products and technology in the United States. ICC-ES conducts technical evaluations of building products, components, methods and materials. Building industry professionals look to ICC-ES evaluation reports for evidence that products and systems meet code requirements.

EverNew railing systems comply with the standards established by the ICC. The Panorama® composite railing system and Oxford and Kingston vinyl



Panorama in white with twist balusters in antique bronze finish

railing systems have undergone third party testing as designated respectively in reports CCRR-0115,* CCRR-0187* and CCRR-0211*.

Details make the difference

EverNew railing offers everything you need to install with confidence:

- ◆ Heavy-duty rails offer exceptional durability
- ◆ Secure rail-to-post connections
- ◆ Stainless-steel and aluminum rail mount brackets provide added strength
- ◆ Concealed hardware won't rust or corrode
- ◆ Railing heights approved for deck, balcony, porch and stair applications
- ◆ Features "on-center" post spacing
- ◆ Class A flame-spread rating for a safer outdoor environment
- ◆ Outstanding warranty coverage with exclusive SureStart™ parts and labor protection
- ◆ Splinter-free surfaces
- ◆ Easy to install and clean
- ◆ Virtually maintenance-free; no painting or staining
- ◆ Safe and secure
- ◆ Consistent quality and appearance

EverNew railing is designed to keep its good looks for years to come, without a lot of maintenance. It won't warp, rot, split or corrode, and it never needs staining or painting.

With EverNew, you can rest assured that years from now our products will perform as beautifully and securely as the day they were installed. CertainTeed stands behind the EverNew decking and railing products with exceptional warranty protection, for your added assurance of quality and safety.



All of CertainTeeds decking and railing products are covered by SureStart protection for a specific period. Under this warranty feature, CertainTeed, at no charge, will repair or replace, at its option, any product proven to be defective during the applicable SureStart period (see actual warranty for details).

Sustainability for a lifetime

CertainTeed respects the environment through the responsible development of sustainable building products and systems. CertainTeed EverNew railing products give building professionals and homeowners confidence that the homes they design, build, maintain, and occupy are made with sustainable materials that enhance every project's performance and beauty.



For more information on CertainTeed's Life Cycle Assessment Report go to www.certainteed.com/life-cycle-assessment

Choose the EverNew system that's right for you

Vinyl:

- ◆ Durable construction – weatherable vinyl exterior with aluminum reinforced rails offers low maintenance
- ◆ Precision-fit components provide a snug, secure fit with fast and easy installation
- ◆ Safe and sound metal-to-wood and metal-to-metal rail-to-post connections
- ◆ Convenient packaging in complete section boxed kits
- ◆ Wide variety of accessories, including posts, caps, and post trims that coordinate with all railing systems

Capped composite:

- ◆ Solid construction – a blend of PVC and recycled wood flour with high-quality weatherable capstock for low maintenance
- ◆ Precision-drilled components provide fast and easy installation
- ◆ Secure metal-to-wood rail-to-post connection
- ◆ Convenient packaging in complete section boxed kits or packs for easy color mixing and matching
- ◆ Designed to work with a variety of vinyl accessories, including posts and handrail

Rest-assured features

pressure-treated wood	VS.	EverNew® railing and deck systems
Short lifespan		Exceptional durability
Inconsistent quality		Consistent quality
Very high maintenance		Low maintenance
Prone to rot and decay		No rot or decay
Splinters, cracks, knots		No splinters, cracks or knots
Toxic chemical preservatives		No toxic chemical preservatives
Class C fire rating		Class A flame-spread rating



Pressure-treated wood



EverNew vinyl



Panorama with square balusters in white

COMPOSITE RAILING SYSTEM





The Panorama® capped composite railing system features a classic painted wood railing design with handcrafted authenticity and true architectural details you won't find on any other composite railing. Panorama's concealed, corrosion-resistant stainless steel hardware provides a seamless appearance and years of worry-free performance. Panorama integrates with CertainTeed's vinyl accessories, allowing you to create exciting new exterior designs.


- ◆ Classic painted wood style with true architectural details
- ◆ Top and bottom universal rails with a decorative top rail cap
- ◆ Concealed external rail-to-post connection for flat, stair, column and 45° applications
- ◆ Features "on-center" post spacing
- ◆ Powder-coated, hot-dipped galvanized steel decorative balusters create a rustic yet customizable system approach for both flat and stair applications
- ◆ Suitable for one- and two-family dwellings/townhouses not more than three stories high
- ◆ Independent tested as designated in report CCRR-0115 (white and almond)
- ◆ Class A flame-spread rating
- ◆ 25-year limited warranty with 2-year SureStart™ protection
- ◆ Choice of two baluster styles: square composite and decorative steel
- ◆ Available in two heights and two lengths
- ◆ Available in three colors: white, almond and black

Decorative Steel Baluster Styles Finishes: Antique Bronze and Oil-Rubbed Bronze


5/8" square; four styles of powder-coated galvanized steel, pre-cut to 26.75" to yield 36" finished rail height; for either flat or stair




White



Almond



Black



Patent-pending stainless steel concealed bracket


- Engineered for flat, stair and almost any angle

Composite top rail*

- 6', 8' Lengths standard in flat (8' stair only)

Baluster Styles

- 5/8" Square Decorative Steel balusters** (available for 3' systems only)
- 1-1/4" Square Composite




4"x 4" wood post (sold separately)

Weather-resistant pre-capped composite 4-1/2" x 4-1/2" post-sleeve

Baluster shoes

- Stair shoes are field cut to allow for a range of stair angles



Composite universal rails for top and bottom*

- 6', 8' Lengths standard in flat (8' stair only)

Molded crush block

4-1/2"x 4-1/2" post cap and trim kit

Post Surface Mount with Insert

- For concrete surface installations
- Includes 4"x 4" wood insert for easy sleeve-over applications



**Decorative Steel Balusters install using patented baluster shoe plugs.

*Refer to product matrix for actual product specifications.

THE SOLID LOOK AND FEEL
OF WOOD WITHOUT
THE MAINTENANCE



Panorama in white with twist balusters in antique bronze finish



Panorama with composite square balusters in almond



Panorama with composite square balusters in black

Post sleeve

- Accommodates standard 4" x 4" wood posts in 40", 54" and 108" lengths



4-1/2" x 4-1/2" Square



4-1/2" x 4-1/2" Square

Post cap and trim kit




NEW
PRODUCT



Oxford in clay with **NEW** round aluminum balusters

VINYL ROUTED RAILING SYSTEM



For safe, secure vinyl railing applications, there's no better choice than the Oxford routed system. The routed Oxford system features a unique internal rail-to-post connection and hidden hardware, so there are no unsightly brackets to detract from the look of the railing. The aluminum reinforced rail connects to a sturdy galvanized post support kit inside the routed post, for a completely concealed metal-to-metal connection.

- ◆ "T"-rail top and 2 x 4 bottom rail with hidden hardware system
- ◆ Aluminum reinforced rail connects to sturdy galvanized steel post support kit inside the routed post
- ◆ Posts routed specifically for all post applications
- ◆ Features "on-center" post spacing
- ◆ Suitable for residential and commercial applications – including multifamily and over three story installations
- ◆ Canadian railing code compliant up to 8' span for exterior guard rail system for one- and two-family dwellings
- ◆ Independent tested as designated in report CCRR-0187 (excludes aluminum and classic balusters)
- ◆ Meets IBC standards for building safety
- ◆ Class A flame-spread rating
- ◆ Lifetime limited transferable warranty with 5-year SureStart™ protection
- ◆ Choice of four baluster styles: square, classic (white and almond only), glass (clear or smoked), and round aluminum
- ◆ Available in two heights and three lengths
- ◆ Available in six colors: white, almond, clay, warm spice, rustic rose and black



Oxford with classic balusters in white



White



Almond




Clay




Warm Spice



Rustic Rose



Black



(wood deck mounting shown here)

Post caps and trims

Aluminum reinforced top and bottom rail*

- 6' and 8' Lengths standard in flat, stair and steep stair
- 10' Lengths standard in flat and stair

Rail plate



- Made of stainless steel
- Screw flange secures top rails inside post
- Oval cut out works for all flat and stair applications

E-Z Set brackets




- Made of aluminum
- Keeps post square and snug

Sturdy post support pipe

- Hot-dipped galvanized steel
- 1-5/8" Outside diameter

Baluster styles

- Square
- Round aluminum baluster
- Classic baluster (white and almond only)



4" tempered glass baluster infill

- Clear available in 3-1/2' only
- Smoked available in 3-1/2' only




Weather-resistant vinyl post sleeve

- Square available in 3' and 3-1/2' heights

Secure post mounting systems

- Post support kits provided for both wood and concrete applications




Attractive precision-fit components

Baluster hole spacing

- Top and bottom rails are routed to accept balusters
- Stair baluster spacing is wider to account for racking


Stair/step section

- Post center spacing on diagonal: 6' section covers 68" at 32°
- 8' Section covers 90" at 32°, 10' section covers 117" at 32°
- 6' Section covers 71" at 42°, 8' section covers 96" at 42°



Standard: 25° min–37° max
Steep stair: 37° min–42° max

*Refer to product matrix for actual product specifications.




Oxford Gate Kit

Improved design for enhanced performance and easier ordering

- Heavy duty internal aluminum frame
- Stainless steel fasteners
- Features 2x4 rails
- High quality gate hardware
- Available in all colors, both heights, and square, classic and aluminum balusters (classic style available in white and almond only)
- Self closing hinges
- Easy to assemble

Routed Post Options



Oxford Glass Balusters

EverNew glass balusters combine high-end style with the quality and performance features that are distinctly CertainTeed. Our glass balusters are designed to work with either the routed or bracketed Oxford railing system.

- ◆ Choice of clear or smoked 4" x 3/8" tempered glass
- ◆ Beveled balusters work for flat and stair applications
- ◆ 3-1/2' baluster height provides a clear view
- ◆ Routed rails eliminate the need to fasten and screw balusters without extra brackets
- ◆ Bracketed and routed post connections
- ◆ Suitable for one- and two-family dwellings/townhouses that are not more than three stories high
- ◆ Independent tested as designated in report CCRR-0187
- ◆ Lifetime limited transferable warranty with SureStart™ protection




Clear Balusters




Smoked Balusters

Oxford



Oxford in almond with clear glass balusters

VINYL BRACKETED RAILING SYSTEM



Designed for use with existing wood posts, the Oxford bracketed railing system offers everything you need for a safe and secure railing installation. Oxford goes the extra mile with standard features like concealed aluminum rail mount brackets and stainless steel screws, for long-lasting strength and peace of mind.

- ◆ "T"-rail top and 2 x 4 bottom rail for sleeve-over installations
- ◆ Aluminum rail mount brackets provide a safe and secure, metal-to-metal rail-to-post connection for greater strength and longevity
- ◆ Features "on-center" post spacing
- ◆ Suitable for residential and commercial applications – including multifamily and over three story installations
- ◆ Canadian railing code compliant up to 8' span for exterior guard rail system for one- and two-family dwellings
- ◆ Independent tested as designated in report CCRR-0187 (excludes aluminum and classic balusters)
- ◆ Meets IBC standards for building safety
- ◆ Class A flame-spread rating
- ◆ Lifetime limited transferable warranty with 5-year SureStart™ protection
- ◆ Choice of four baluster styles: square, classic (white and almond only), glass (clear or smoked), and round aluminum
- ◆ Available in two heights and three lengths
- ◆ Available in six colors: white, almond, clay, warm spice, rustic rose and black



Oxford in clay with NEW round aluminum balusters



White




Almond



Clay




Warm Spice



Rustic Rose



Black



4" x 4" Post caps

Vinyl trim cover

- Sleek design to conceal screws
- Easily altered for close baluster applications

Aluminum reinforced top and bottom rail*

- 6', 8' and 10' Lengths standard in flat and stair

Aluminum interior bracket


- The critical rail to post stress point is secured by corrosion resistant aluminum
- Uniquely designed for specific applications



4"x 4" wood post (sold separately)

Baluster styles

- Square
- Round aluminum baluster
- Classic baluster (white and almond only)



4" tempered glass baluster infill

- Clear available in 3-1/2' only
- Smoked available in 3-1/2' only




Weather-resistant vinyl post sleeve:

- Square available in 3' and 3-1/2' heights
- Newel available in 3' height

Attractive precision-fit components

4"x 4" trim



Baluster hole spacing


- Top and bottom rails are routed to accept balusters
- Stair baluster spacing is wider to account for racking

Stair/step section

- Post center spacing on diagonal:
6' Section covers 68" at 32°
- 8' Section covers 90" at 32°
- 10' Section covers 117" at 32°

*Refer to product matrix for actual product specifications.

Oxford Bracket Options – Uniquely designed for specific applications



Oxford Gate Kit

Improved design for enhanced performance and easier ordering

- Heavy duty internal aluminum frame
- Stainless steel fasteners
- Features 2x4 rails
- High quality gate hardware
- Available in all colors, both heights, and square, classic and aluminum balusters (classic style available in white and almond only)
- Self closing hinges
- Easy to assemble



flat



column (minimum 8" round)



stair (field alteration)



45°

NEW
LOOK



Secure Connection

Aluminum brackets and corrosion-resistant stainless steel screws complete the connection between post and rail to provide a strong and reliable system.




Oxford with classic balusters in white

Kingston



Kingston with square balusters in warm spice

VINYL RAILING SYSTEM



Kingston offers premium features you'd expect to find on higher-end systems, including high-quality aluminum rail mount brackets for superior safety and security. Secured by provided stainless steel fasteners, the aluminum brackets are completely concealed by molded vinyl covers, so you never have to worry about rust or corrosion.

- ◆ Classic bread-loaf rail design (on both top and bottom rails) for sleeve over applications
- ◆ Aluminum rail mount brackets provide a safe and secure metal-to-metal, rail-to-post connection for greater strength and longevity
- ◆ Unique molded vinyl bracket covers designed for flat, stair, column, 45° and 22-1/2° applications
- ◆ Features "on-center" post spacing
- ◆ Suitable for one- and two-family dwellings and townhouses not more than three stories high
- ◆ Canadian railing code compliant up to 8' span for exterior guard rail system for one- and two-family dwellings
- ◆ Independent tested as designated in report CCRR-0211 (excludes aluminum baluster)
- ◆ Meets IRC standards for building safety
- ◆ Class A flame-spread rating
- ◆ Lifetime limited transferable warranty with 5-year SureStart™ protection
- ◆ Choice of three baluster styles: square available in all six colors, traditional in white and almond, and round aluminum
- ◆ Available in two heights and three lengths
- ◆ Available in six colors: white, almond, clay, warm spice, rustic rose and black



Kingston with traditional balusters in white



White




Almond



Clay




Warm Spice



Rustic Rose



Black



4" x 4" Post caps

Vinyl trim cover

- Sleek design to conceal screws and streamline appearance
- Easily altered for close baluster applications

Rugged aluminum reinforced top and bottom rail*

- 6', 8' and 10' Lengths standard in flat and stair (10' flat only)




Aluminum interior bracket

- The critical rail to post stress point is secured by corrosion resistant aluminum
- Uniquely designed for specific applications

4" x 4" wood post (sold separately)

Baluster styles

- Square
- Traditional (3' white and almond only)
- Round aluminum baluster




Weather-resistant vinyl post sleeve in either square or newel available in 3' and 3-1/2' heights

Attractive precision-fit components

Molded crush block

4"x 4" trim



Baluster hole spacing

- Top and bottom rails are routed to accept balusters.
- Stair baluster spacing is wider to account for racking.

Stair/step section

- Post center spacing on diagonal: 8" Section covers 95" at 32°


*Refer to product matrix for actual product specifications.

NEW
PRODUCT



Kingston in white with round aluminum balusters

Trim covers




column
(min 8" round)



standard and steep stair applications
(longer cover allows for field cutting)




flat



45°



22-1/2° left, 22-1/2° right



Kingston Gate Kit

Designed for enhanced performance and easy ordering

- Heavy duty internal aluminum frame
- Stainless steel fasteners
- Features 2" x 3-1/2" rails
- High quality gate hardware
- Available in all colors, all heights and all balusters
(traditional style available in white and almond only)
- Self closing hinges
- Easy to assemble

Vinyl Railing Accessories

Square post and caps

Vinyl blank posts available in...
4"x4": 38", 44", 48", 51-1/2", 107"
5"x5": 68", 107"
6"x6": 120"



Square post



Flat cap internal Flat cap external New England cap Flat Pyramid cap (6"x6" only)



Gothic cap Ball cap

Newel post and caps

4"x4" newel post and caps create a more traditional look on your EverNew railing. Blank newel posts available in 38" and 44" for white 3' styles only.



Newel post




King cap Queen cap

Post trim

Post trim can be used for finishing vinyl posts.**



4-piece post trims
 Available in 4"x4" and 5"x5"
 (matches porch post trims)
 Also available in 6"x6"
 (Adjusts to fit 4" to 6-1/2" posts)



1-piece post trims
 Available in 4"x4" and 5"x5"

2-piece post trims
 Available in 4"x4"

Post Support Kits (at a glance)

"Original" Post Support Kit	EZ Set II Bracketed Post Support Kit	The Mount Post Support Kit	Post Surface Mount with Wood Insert
For Routed System*	For Bracketed Systems		
Oxford	Oxford Kingston	Oxford Kingston	Panorama
Wood & Concrete	Concrete	Wood or Concrete	Concrete

*Also suitable for use with Blank Newel Posts.

**Not all accessories available in all colors. Refer to product catalog for colors and style availability.

ADD THE PERFECT FINISHING TOUCH WITH DECORATIVE POST CAPS AND TRIM

Decorative Post Caps and Post Trim for 4" x 4" posts

Our Decorative post caps and post trims feature an innovative metallic and ceramic powder coated injection molded product line to enhance your fence or deck posts. The product line includes solar lighted post caps, post caps, and post trims. These products will not tarnish like stamped metal post caps.

Post Caps



patina



post cap in antique gray



antique brown




antique copper



antique gold

Post Trim



patina



antique gray



antique brown




antique copper




antique gold

Solar Post Caps



patina



antique gray



antique brown



antique copper



antique gold

Solar Accent Lighting

These solar powered lights have extremely efficient LED circuits powered by two rechargeable batteries. They are easy to install, are low maintenance, environmentally friendly and perfect for remote locations as they require no electricity. The taller solar post caps will fit 4"x 4" and 5"x 5" posts.




Solar Post Caps



white



black



copper



stainless

Solar Wedge



white



black



copper




stainless

Batteries are included with all solar caps and wedge lights.

Aluminum Handrail Component System

- ◆ Complies with ADA (Americans with Disabilities Act) requirements for grippable handrails
- ◆ Ideal for use with EverNew railing systems
- ◆ Installs easily on site with no preformed fittings
- ◆ Unique adjustable joiners accommodates any transition – 0° to 90° bends
- ◆ Aluminum construction reduces bowing and provides enduring strength
- ◆ Safe for stair and ramp applications
- ◆ Continuous handrail runs
- ◆ 1-1/2" diameter gripping area
- ◆ Virtually maintenance free
- ◆ Lifetime limited warranty
- ◆ Functional finishing touches: post and wall returns, end caps, return loops and a convenient straight joiner
- ◆ EZ Set bracket kit available for attachment to routed system




White



Black

Note: Handrail depicted is not free standing and must be anchored to walls or guardrail using handrail bracket assembly (74028/74029). Space a maximum of 6' on center and as close as possible to both sides of any joint. (ADA compliant at 6ft spans)




- 1-1/2" diameter end cap
- Straight aluminum joiner
- Straight wall return
- Adjustable aluminum internal joiner
- 1-1/2" OD ADA 180° return loop
- 1-1/2" OD - 90° corner - includes two 3" aluminum joiners
- 1-1/2" OD - 90° wall return - includes 3" aluminum joiner
- 1-1/2" OD x 80" handrail
- 1-1/2" OD x 104" handrail
- 1-1/2" OD x 120" handrail
- Handrail bracket assembly
- Handrail EZ Post attachment kit
- Handrail joint ring
- Inside corner bracket
- Adjustable aluminum external joiner

REINFORCED GATE KITS



Kingston Gate



EverNew Gate Kits


EverNew gates feature a heavy-duty internal aluminum frame for sturdy construction that's built to last and stainless steel fasteners to prevent corrosion.

- ◆ Available for Oxford and Kingston railing systems
- ◆ Kit includes all parts needed to build a railing gate up to 60" wide
- ◆ Aluminum reinforced uprights and rectangular rails
 - Balusters
 - Upright caps
 - Stainless steel screws
 - Black nylon gate hinges (self closing)
 - Latch



EverNew Vinyl Decking in gray
Panorama® with square balusters in white


VINYL DECKING




Easy to install, easy to maintain... EverNew's easy to clean deck surface is perfect for busy, no-maintenance lifestyles.

- ◆ Excellent color retention
- ◆ Cool to the touch – Barefoot Friendly™
- ◆ Easy to clean, non-porous vinyl surface
- ◆ Will not stain from spills
- ◆ Available in 12', 16' and 20' lengths
- ◆ No visible screws or exposed hardware
- ◆ Independent tested as designated in report CCRR-0219
- ◆ Lifetime limited transferable warranty with 5-year SureStart™ protection


1. Snap-in fill pieces hide fasteners 12', 16' and 20' lengths
2. Easy-to-install planks screw directly to joists and prevent squeaking
3. Safe, non-slip, raised ridge tread
4. End cover fastener
5. End cover 12' lengths
6. Rigid multi-ribbed profile spans 24" joist spacing (16" recommended)
7. 3/4" fascia cover plug



White



Almond



Gray

EverNew® Vinyl deck boards and fascia

	Actual Width	Actual Thickness	Available Lengths
2x6 Deck boards	5-1/2"	1-1/2"	12', 16', 20'
Fascia	1-1/2", 3", 6"	7/8"	8'



UnderShield®

UnderShield® creates new possibilities for your home.

A beautiful deck is easy to love, from the top. Now, you can love your deck from underneath as well, with the beautiful possibilities of UnderShield®. A unique, vinyl shield and ceiling system, UnderShield turns an unsightly deck underside into a dry, beautiful ceiling, creating limitless options for new exterior living spaces.

The UnderShield product is designed as a water diversion system under normal weather and rain conditions; however it is not a waterproof roof system. Proper cleaning and flushing of debris by the property owner is important to allow the rain water to flow unobstructed to the exit point and to not create excess weight buildup on the surface of UnderShield. The system can temporarily experience minor drips. Occasional droplets on the underside also could result from normal condensation. Having a qualified professional install and follow the installation instructions carefully is necessary for best performance.



Beaded panel in colonial white shown with gutter collection system.



Custom Restoration Millwork® columns and brackets, combined with the UnderShield Water Diversion System, creates a formal yet inviting area.




Under the deck is a perfect area for storage of frequently used outdoor toys, lawn and garden equipment and more.

DECKING ACCESSORY

Designed to respond to the needs of building professionals and homeowners, UnderShield is easy to install to new or existing decks, and will maintain unobstructed air flow when properly installed. Panels can run parallel or perpendicular to the home, and an easy-to-use clip creates the desired pitch.


- ◆ Easy to install adjustable grid system
- ◆ Installs under the deck joist
- ◆ No need to worry if the framing is 12" or 16" on-center
- ◆ No concern with bracing between joists
- ◆ Panel hook system creates a tight and secure panel lock
- ◆ Concealed clip system
- ◆ Stainless steel hardware provides security and lasting performance
- ◆ High quality vinyl panels available in 6" x 16'
- ◆ Helps maintain the required ventilation under the deck for most composite deck boards
- ◆ Suitable for one- and two-story residential applications
- ◆ Class A flame-spread rating
- ◆ Lifetime limited warranty
- ◆ Low maintenance
- ◆ Choice of two panel styles: beaded or chamfer
- ◆ Available in two colors: colonial white or savannah wicker




B Clip System comes with all stainless steel hardware (not shown)



C Vinyl Grid System




Colonial White



Savannah Wicker

UnderShield is available in beaded or chamfer panels (A). System also includes clips (B), grid system (C), fascia panels and stainless steel hardware (not shown).



As precipitation drips between deck boards it is collected directly below by UnderShield and diverted away leaving a dry space under your deck.
(Gutter sold separately. Not a CertainTeed product.)

Water drips on the panel surface may appear for various reasons including, but not limited to, dirt/debris build up and normal condensation.

Porch Accessories

CertainTeed Structural Porch Posts, Columns and finishing accessories complement any project, no matter which railing style or system is chosen.

- ◆ Pivoting mounting plate for easy installation of porch post
- ◆ Aluminum reinforced for rigidity and strength
- ◆ Load bearing
- ◆ Tie-down connection of porch post eliminates need for separate hurricane tie-down kit
- ◆ No overhead jacking required
- ◆ Class A flame-spread rating



Colonial
5" x 5"
108" length



white

almond

Colonial
4" x 4"
108" length



white

almond

Square
5" x 5"
108" length



white

almond

clay

Tapered Round
Column 8" & 10"
108" length



Non-tapered
Round
Column 8"
108" length



Square 8"
108" length



Tie-down mounting plates and 4-piece post trim kits for top and bottom included with the post.

Cap and base trim sets sold separately, required for installation.

PORCH POSTS, WRAPS & COLUMNS



4" x 4" Certa-Snap Wrap in white

6" x 6" Certa-Snap Wrap in white with base trim

Designed to coordinate with CertainTeed's vinyl decking and railing products, Certa-Snap® Wrap delivers all of the low-maintenance benefits of vinyl posts without having to replace existing wood porch posts.

- ◆ Specially designed for existing wood posts
- ◆ 8-piece system — 4 vinyl post sections plus 4 corner trim pieces
- ◆ Components snap together for easy installation
- ◆ Available 4" x 4" or 6" x 6" in 10' lengths — can be field cut to any length
- ◆ 4-piece post trim for top and bottom sold separately
- ◆ Class A flame-spread rating




White



Almond

Installation



Trim accessory



EverNew® Deck, Railing, Porch Posts, Wraps & Columns (at a glance)

Railing Systems		BALUSTER SIZE	BALUSTER STYLE	BALUSTER SPACING	SECTION WIDTH (FLAT NOMINAL)	SECTION WIDTH (FLAT ACTUAL)	SECTION HEIGHTS	RAILS (FLAT SECTIONS)	TOP RAIL STYLE	BOTTOM RAIL STYLE
CAPPED COMPOSITE	Panorama®	1-1/4" x 1-1/4" 5/8" x 5/8" Steel	Square Composite, Decorative Steel	3-5/8" Flat Composite 3-3/4" Flat Steel	72" 96"	67-1/2", 92-1/2"	3' and 3-1/2'	3-1/2" x 2-13/16" x 67-1/2" or 92-1/2" Top Rail	Classic	Classic
	VINYL	Oxford	Classic, Square, Round aluminum	3-3/8" Flat Aluminum baluster: 3-5/8"	72" 96" 120" ▲	71-1/2", 95-1/2", 119-1/2"	3' and 3-1/2'	3" x 3-1/2" x 71-1/2", 95-1/2" or 119-1/2" "T" Shaped Top Rail	"T"- Rail	2 x 4
		Oxford T-Rail Glass Baluster Infill	4" x 3/8"	Tempered Glass: Clear and Smoked	3-7/8" Flat	72"	71-1/2"	3-1/2'	3" x 3-1/2" x 71-1/2" "T" Shaped Top Rail	"T"- Rail
Kingston	1-1/2" x 1-1/2" 3/4" diameter	Traditional, Square, Round aluminum	3-7/16" Flat Aluminum baluster: 3-5/8"	72" 96" 120" ▲	68-1/2", 92-1/2", 116-1/2"	3' and 3-1/2'	3-1/4" x 1-1/2" x 68-1/2", 92-1/2" or 116-1/2" Top & Bottom	Top Round	Top Round	

Measurements for all railing systems are from center to center of post. Note actual rail lengths.

*Vinyl railing is Canadian railing code compliant up to 8' span for exterior use guard rail system for 1 and 2 family dwellings.

▲ Not available for aluminum infill

Porch Posts, Wraps & Columns		DIMENSION	LENGTH	LOAD BEARING	FINISH	ALUMINUM REINFORCEMENT	INCLUDES MOUNTING PLATE	WARRANTY	SURESTART™
VINYL	Colonial Post	5"x 5"	108"	5000 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Colonial Post	4"x 4"	108"	2600 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Square Post	5"x 5"	108"	5000 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Square Column	8"x 8"	108"	18000 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Tapered Round Column	8", 10**	108"	18000 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Non-Tapered Round Column	8"	108"	18000 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Certa-Snap® Wrap	4"x 4", 6"x 6"	120"	NA	Smooth	NA	NA	Lifetime Limited Transferable	5-Year

* 8" Tapered Round Column – 7-3/4" tapers to 6-1/8", 10" Tapered Round Column – 9-3/4" tapers to 8-1/8" (taper starts 48" from bottom)

Decking		BOARD SIZE (ACTUAL)	BOARD SPACING	BOARD SIZE	BOARD LENGTH (NOMINAL)	BOARD SURFACE	FASCIA SIZE (ACTUAL)	FASCIA LENGTH	FASCIA SURFACE	JOIST SPACING
VINYL	EverNew Vinyl Decking	1-1/2" x 5-1/2"	1/8"	2" x 6"	12', 16', 20'	Raised Ridge Tread	7/8"x6" or 3" or 1-1/2"	8'	Smooth	16"

Decking Accessory		STYLE	DIMENSION	THICKNESS	FINISH	WARRANTY
VINYL	UnderShield®	Chamfer or Beaded	Chamfer 6" x 16' Beaded 6" x 16' Fascia 4" x 16'	Chamfer .046" Beaded .046" Fascia .05"	Matte	Lifetime Limited

							COLOR AVAILABILITY									
REINFORCEMENT	RAIL-TO-POST CONNECTION	CODE*	APPLICATION*	WARRANTY	SURESTART™	VALUE	WHITE	ALMOND	CLAY **	WARM SPICE **	RUSTIC ROSE **	BLACK	COLONIAL WHITE	SAVANNAH WICKER	GRAY	
Composite Core	Stainless steel concealed bracket engineered for flat, stair, and almost any angle	CCRR-0115 †	Suitable for 1 and 2-family dwellings and townhouses not more than 3-stories in height	25-Year Limited	2-Year	\$\$ - \$\$\$	●	●				●				
Aluminum Top & Bottom	Routed post option or aluminum brackets with molded covers for flat, stair, column and 45°	CCRR-0187*	Suitable for residential and commercial applications – including multi-family and over 3-story installation	Lifetime Limited & Transferable	5-Year	\$\$ - \$\$\$\$	●	●	●	●	●	●				
Aluminum Top & Bottom	Routed post option or aluminum brackets with molded covers for flat, stair, column and 45°	CCRR-0187*	Suitable for 1 and 2-family dwellings and townhouses not more than 3-stories in height	Lifetime Limited & Transferable	5-Year	\$\$\$\$	●	●	●	●	●	●				
Aluminum Top & Bottom	Aluminum brackets with molded covers for flat, stair, steep stair, column, 45° and 22-1/2°	CCRR-0211*	Suitable for 1 and 2-family dwellings and townhouses not more than 3-stories in height	Lifetime Limited & Transferable	5-Year	\$\$-\$\$	●	●	●	●	●	●				

** ColorLast® Dark Color Fade Protection - Our acrylic formulation provides superior protection from the harsh rays of the sun, resulting in richer color that retains its vibrant hue for years to come. ColorLast is offered in Clay, Warm Spice and Rustic Rose.

† Independent testing on Black currently underway.

* Independent testing on round aluminum and classic balusters is currently underway.

‡ Refer to code report for detailed application information and conditions of use.

							COLOR AVAILABILITY									
							●	●								
							●	●								
							●	●	●							
							●									
							●									
							●									
							●	●								

						COLOR AVAILABILITY									
	CODE	APPLICATION	WARRANTY	SURESTART™											
	CCRR-0219	Decks, docks and porches	Lifetime Limited	5-Year		●	●								●

							COLOR AVAILABILITY									
													●	●		

CertainTeed products are designed to work together and complement each other in color and style to give any home a beautiful finished look.



POLYMER SHAKES & SHINGLES



VINYL SIDING



INSULATED SIDING



SOFFIT



PVC EXTERIOR TRIM & BEADBOARD



VINYL CARPENTRY® TRIM



STONE



HOUSEWRAP



ROOFING AND VENTILATION



DECKING AND RAILING



MOLDED FENCE



EXTRUDED FENCE



facebook.com/certainteedCurbAppeal



[YouTube youtube.com/ctCurbAppeal](https://youtube.com/ctCurbAppeal)



CertainTeed Corporation

CEILING • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM

20 Moores Road Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com

© 01/19 CertainTeed Corporation, Printed in the USA, Code No. 40-70-425