

Performance Features	Bufftech Vinyl
Lifetime limited warranty	~
Transferable warranty	~
5-year labor warranty	V
Dark color fade warranty	~
Made in the USA	V
Never needs painting or staining	V
Won't chip, peel, crack or splinter	~
Won't rot or support mold growth	~
Impervious to termites/wood-boring insects	V
Lead free	V
No harmful chemicals	~
High-quality raw materials	V
Concealed fasteners	~
Heavyweight pickets	V
Wide choice of colors	V
Woodgrain and stucco textures	V
Steel reinforced rails	V
Routed rails and posts	~
Class A rating for flame spread	~
Recycled Content	V
Self-extinguishing	~
Easy to assemble	~
Building code compliant	~
Meets ASTM standards	v

Quality Assurance

Bufftech fence products undergo rigorous testing to ensure they are manufactured to the highest standards and will withstand the test of time.

Material

- · Dimensional checks
- · Wall thickness
- Cap stock thickness
- · Color/gloss Impact
- Flex
- Tensile strength
- Accelerated weathering

Design

Railing code approvals

- Kingston CCRR-0211
- Oxford CCRR-0187
- Panorama® CCRR-0115

Fence certifications

- Miami-Dade county approved
- NOA#:12-1106.11 (expires 3-13-2018)
- Gates load tested for 300lbs
- ASTM E 90 Sound Transmission Loss Test
- STC 21 (applies to Chesterfield and Galveston)

Building Responsibly with Bufftech

CertainTeed is actively pursuing strategies to reduce our environmental impact, while increasing the sustainability of our operations and products. By carefully examining all environmental impacts throughout each phase of a product's life cycle—from raw materials and manufacturing, to transportation and use, to disposal and/or recycling we gain a complete, accurate view of our product's true sustainability.

CertainTeed conducted a Life Cycle Assessment (LCA) that was submitted to the National Institute of Standards and Technology (NIST) and was published in the building product LCA database, BEES (Building for Environmental and Economic

National Institute of Standards and Technology U.S. Department of Commerce

Sustainability). The findings from this Life Cycle Assessment provide a new, if not surprising, vantage point from which to make more credible and confident decisions on environmentally sound vinyl fence options.

All Bufftech® products are GreenCircle Certified®, a third-party auditing process designed to assure builders, regulators and homeowners that Bufftech fence complies with our environmental and sustainability claims, including the recycled content of our product.





Professional: facebook.com/CertainTeedFreedomofChoice**Consumer:** facebook.com/CertainTeedLivingSpaces



CertainTeed Corporation

20 Moores Road Malvern, PA 19355 www.certainteed.con


ASK ABOUT OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE **GYPSUM • CEILINGS • INSULATION**

Professional: 800-233-8990 Consumer: 800-782-8777

© 01/17 CertainTeed Corporation, Printed in USA Code No. 40-40-70610





The **Bufftech®** Advantage

Long-lasting beauty, superior performance and the best protection you can get that's the Bufftech Advantage.

The difference starts with details.

Assures a clean, realistic look without visible glue or screws.

Heavyweight Pickets
Provide impact resistance and reduces movement.

Internal Reinforcement

Limits sagging and maintains a strong and sturdy performance.

Color & Texture

CertainTeed sets the standard for the latest innovations in

undisputed leader in color and texture. Whether you want the look and feel of natural wood or an easy-to-maintain,

economical alternative to stucco walls, Bufftech has a vinyl

fence to complement any setting. Plus, Bufftech is virtually

maintenance-free, and never needs staining or painting.

For complete style and color specifications, see page 32.

sophisticated styling. From our proprietary texturing process to our unique shades and stain blends, CertainTeed is the

Performance

Bufftech's premium features, including high-quality raw materials, reinforced rails, heavyweight pickets, routed rails and fence posts, and concealed fasteners, ensure it will outlast and outperform other vinyl fences.

Backed by CertainTeed's exclusive WindZone™ performance, Bufftech fence is engineered for use in high wind and hurricane conditions, as approved by Miami-Dade County NOA #12-1106.11*. Recognized as the most stringent standards in the country, Miami-Dade test protocols include dynamic wind load testing up to 115 mph.

The Bufftech line also meets requirements of the ASTM and includes styles that comply with local codes for swimming pool applications. Check with your local building code official as local codes may vary.

*Miami-Dade County-approved NOA #12-1106.11, for exceptional performance in high wind conditions To comply with WindZone Performance. additional items are needed for installation. Please reference our product catalog. Expires 3/13/2018.







Look for these icons throughout the brochure on products that meet special performance requirements.

Peace of Mind

CertainTeed stands behind the Bufftech line with an exceptional lifetime limited transferable warranty. SureStart™ protection, an exclusive CertainTeed benefit, covers warranted repair and replacement costs--including labor, for five years after installation.

CertainTeed also guarantees the performance of Bufftech's darker colors and stain blends with our proprietary ColorLast® fade protection, a state-of-the-art acrylic formulation that provides superior protection from the harsh rays of the sun.

CertainTeed is actively pursuing strategies to reduce our environmental impact. while increasing the sustainability of our operations and products. (see back cover for complete third-party testing information).

A company you can trust.

For more than 100 years, homeowners and building professionals alike have relied on CertainTeed as a trusted source of innovative, high-quality building products. Bufftech® continues this long-standing tradition with its superior vinyl fencing line, proudly made in the U.S.A.

Select Cedar

Select Cedar

CertaStucco™

Mission Ivory

CertaStucco

Almond

CertaStucco

Colors throughout this

brochure are simulated Consult product samples

before making final selection

Smooth

White Smooth

Almond

Natural Clay

CertaGrain[®]

Natural Clay Select Cedar Select Cedar

White CertaGrain

Canyon Blend

CertaGrain

CertaGrain

CertaGrain

CertaGrain

CertaGrain



Galveston

Smooth Finish

Heights: 7' & 8' Picket Style: 7/8" x 7" Tongue & Groove



Almond

Galveston

Smooth Finish with Lattice & Galveston with Victorian (not shown)


Heights: 6' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove



Almond



Distinctive
Deco Rail Design
available with smooth
fence styles.



Chesterfield CertaGrain® Texture **Decorative Accents** and Styles

Customers look to CertainTeed for the latest innovations in style and performance. We're bringing you privacy with a different view. Introducing Chesterfield's expanded selection of CertaGrain® Texture Decorative Accents and Styles.



Add a unique, decorative style in one of four rich blend colors with Chesterfield Concave and Convex to make your fence stand out among the rest.

with Concave

Heights: 6'

Picket Style: 7/8" x 7" Tongue & Groove











with Convex

Heights: 6' and 6-1/2' Picket Style: 7/8" x 7" Tongue & Groove











Transition from low to high fence sections. These specially designed fence sections provide an aesthetically appealing way to unify your fence installation.

with S Curve

Heights: Transitions from 6' to 4' Picket Style: 7/8" x 7" Tongue & Groove











with Swoop

Heights: Transitions from 6' to 4' Picket Style: 7/8" x 7" Tongue & Groove











For homeowners who like their privacy with a touch of style, the Chesterfield with Victorian Accent or with Lattice Accent offers two great choices.

with Victorian Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove















with Lattice Accent

The 3-dimensional, molded, solid-color lattice features a subtle texture that complements the finish on the overall fence.

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove













10





with Swoop

Smooth Finish

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Available Colors: White & Almond Picket Style: 7/8" x 7" Tongue & Groove



Almond

with S Curve

Smooth Finish

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Available Colors: White & Almond Picket Style: 7/8" x 7" Tongue & Groove



Almond



with Westminster Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue



4



with Swoop

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Picket Style: 5/8" x 11-3/8" Tongue & Groove



Almond

with S Curve

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Picket Style: 5/8" x 11-3/8" Tongue & Groove



Almond

with Lattice Accent

Heights: 4' 11" plus 1' 1" Accent Picket Style: 5/8" x 11-3/8" Tongue & Groove



Almond


with Victorian Accent

Heights: 4' 11" plus 1' 1" Accent Picket Style: 5/8" x 11-3/8" Tongue & Groove



Almond







Baron

Smooth Finish

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)
Picket Style: 7/8" x 3"
Picket Spacing: 2-15/16"







Baron with Midrail



Princeton

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)
Picket Style: 7/8" x 1-1/2"
Picket Spacing: 1-3/4"



Almond

< Princeton with Midrail

< Countess with Midrail

< Monarch with Midrail



Countess

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2", 7/8" x 3" Picket Spacing: 2-5/16"



Almond



Monarch

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)
Picket Style: 7/8" x 1-1/2", 7/8" x 3"
Picket Spacing: 3"



Almond

Victorian

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)
Picket Style: 7/8" x 1-1/2"
Picket Spacing: 3-5/8"



Almond



< Victorian with Midrail



Heights: 3' & 4' posts available (available specifically to complement Manchester fence for flat and concave styles)

White







Manchester

Concave

Heights: 3', 4'
Picket Style: 1-1/2" Square
Picket Spacing: 1-9/16"

White

Almond

Canterbury

Heights: 3' & 4' Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"


White

Canterbury

with Swoop

Heights: 3' & 4'
Picket Style: 1-1/2" Square
Picket Spacing: 1-9/16"

White



Post & Rail

A winning combination of beauty, durability and versatility

Safe for Horses

Bufftech's post & rail fence provides a safe, reliable enclosure for horses and other livestock. Available with CertaGrain Texture, our post & rail fence offers the authentic look of painted wood fence with the durability, low maintenance and proven performance of Bufftech's premium vinyl design.

4-Rail **CertaGrain Texture**


Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors*): 2" x 6" Ribbed



4-Rail

Smooth Finish

Rail Size: 1-1/2" x 5-1/2" Ribbed,



3-Rail **CertaGrain Texture**

Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors*): 2" x 6" Ribbed



3-Rail

Smooth Finish Rail Size: 1-1/2" x 5-1/2" Ribbed, 2" x 6" Ribbed



Rail Size (White): 1-1/2" x 5-1/2" Ribbed

CertaGrain Texture

Rail Size (Blend Colors*): 2" x 6" Ribbed

2-Rail



2-Rail

Smooth Finish Rail Size: 1-1/2" x 5-1/2" Ribbed



Crossbuck

Rail Size: 1-1/2" x 5-1/2" Ribbed

4-Rail CertaGrain Texture in Sierra Blend



2-Rail and Crossbuck styles are recommended for decorative purposes only.

*CertaGrain Post & Rail Fence in Blend Colors is installed on 6' post centers. Consult our product installation instructions at www.certainteed.com for full details.



Bufftech offers a wide selection of residential gates designed to match all of our fence styles, in a choice of heights and widths. Beautiful and durable, Bufftech gates deliver easy installation and great performance. Choose from unassembled gate kits or pre-assembled gates that ship ready to install.



	Pre-Assembled Gate Widths	Gate Kit Maximum Width	Extension Kit Required**						
Galveston	50-1/2"	50-1/2"	No						
Chesterfield	36-1/2" 50-1/2" 64-3/4"	70"	Yes						
Chesterfield Concave Accent	50-1/2"	na	na						
Chesterfield Convex Accent	50-1/2"	na	na						
New Lexington	42-1/2" 50-1/2" 65-1/4"	Yes							
Breezewood	50"	60"	Yes						
Imperial	50"	72"	Yes						
Columbia*	50"	50"	No						
Millbrook	50"	60"	Yes						
Baron	50"	72"	Yes						
Princeton	50"	72"	Yes						
Countess	50"	72"	Yes						
Monarch	50"	72"	Yes						
Victorian	50"	72"	Yes						
Manchester	50"	50"	No						
Manchester Concave	na	50"	No						
Canterbury	50"	50"	No						
Danbury	50"	50"	No						
Cape Cod	50"	60"	Yes						
Rothbury	50"	50"	No						
Yorkshire	50"	60"	Yes						
2-Rail*	na	72"	na						
3-Rail*	na	96"	na						
4-Rail*	na	96"	na						
Crossbuck*	na	96"	na						

Unassembled

- * All Gates are rackable, except Columbia, Post & Rail (2-Rail, 3-Rail and 4-Rail smooth finish), and Crossbuck styles.
- ** For unassembled gate kits over 50" wide to achieve maximum width

Stainless Steel Gate Hardware

Give your gate the old-world look of wrought iron with our rugged, rust-free stainless steel gate hardware. The hardware includes hinge, strike and latch and is available in Black Pebble.





High Performance Nylon Gate Hardware KitsVersatile and virtually maintenance free, our premium nylon gate hardware offers key lockable latches, self-closing hinges and contoured gate handles. Available in Black

LokkLatch® Key-Lockable Gate Latch, GateHandle™, MagnaLatch® Magnetic Safety Gate Latch, LokkLatch Magnetic® and TruClose® Self-Closing Gate
Hinges are registered trademarks of
D&D Technologies.















MagnaLatch® Magnetic Safety Gate Latch

GateHandle™

Self-Closing Gate Hinges

Accessories

Distinctive details for the perfect finishing touch

PVC Post Caps

Bufftech's standard PVC post caps come in a variety of styles.



Aluminum Post Cap Covers



The aluminum post cap cover with a textured decorative finish can be combined with our New England cap and coordinating gate hardware.**

Offered in 4" x 4" and 5" x 5" sizes.

Decorative Post Caps

Bufftech's decorative post caps feature a metallic and powder coat finish.



Solar Post Caps & Lighting

Eco-friendly LED lights provide the ultimate in solar-powered accent lighting. Batteries included.

Solar Post Caps





*Fits both 4" x 4" and 5" x 5" post sizes. Adapter included.

Solar Wedge Lights









Vineyard Pergola

Outside Dimensions: 93"h x 89"w x 54"d Inside Dimensions: 84"h x 48"w x 54"d

White



Beaumont

Outside Dimensions: 96"h x 57"w x 32"d Inside Dimensions: 90"h x 49"w x 32"d

White

^{**}Decorative cap and New England cap sold separately.

Specifications & Color Availability								lay	/ory	ed Blenc	end	lend	Slend	pu	p <u>u</u>	Blend	pue	pue						
		Height	Racking	Post Size	Section Width	Picket Size	Picket Spacing	Code	Metal Rail Reinforcement	Rails	White	Almond	Grey	Natural C	Mission Ivory	Weathere	Timber BI	Canyon B	Frontier B	Arbor Blend	Arctic Ble	Brazilian Ble	Sierra Ble	Honey Blend
Privacy	Galveston Smooth	7', 8'	5° *		96"	7/8" x 7" Tongue & Groove	N/A		Top, Middle, Bottom	2" x 6" Deco x 95" (Top/Bottom) 2" x 6" x 95" (Midrail)	•	•												
	Galveston CertaGrain	7', 8'	5° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A		Top, Middle, Bottom	2" x 6" Channeled x 95" (Top/Bottom) 2" x 6" x 95" (Midrail)						•				-		•		•
	Chesterfield Smooth	4', 5', 6'	10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	S	Bottom**	2" x 6" Deco x 95"	•	•	*	•										
	Chesterfield CertaGrain	4', 5', 6'	10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	S	Bottom**	2" x 6" Channeled x 95"	•	•				•	•	•	•			•	•	•
	Chesterfield CertaStucco	4', 5', 6'	10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	S	Bottom	2" x 6" Channeled x 95"					•									
	New Lexington	4', 5', 6'	7° *	5" x 5"	96"	5/8" x 11-3/8" Tongue & Groove	N/A		Bottom	1-1/2" x 5-1/2" Deco x 95"	•	•												
	Breezewood Select Cedar	4', 5', 6'	Stepping Recommended	5" x 5"	96"	7/8" x 3"	21/32"		Bottom**	2" x 6" x 95"	•	•				•						•		
/ate	Imperial Smooth	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 3"	7/16"	№ ○	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•		•										
mi-Priv	Imperial Select Cedar	4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 3"	7/16"	₷ ○	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•				•	•		•	•	•	•	•	
Ser	Columbia	5', 6'	5°	5" x 5"	96"	7/8" x 6" Ribbed	4-9/16"	S	Bottom (Aluminum)	3-1/2" x 3-1/2" x 94"	•													
	Millbrook	5', 6'	5°	5" x 5"	96"	7/8" x 6" Ribbed	13/16"		Bottom	2" x 6" x 94-1/2" (Top/Bottom) 1-3/4" x 3-1/2" x 94-1/2" (Midrail)	•	•												
	Baron Smooth	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 3"	2-15/16"	0	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•		•										
	Baron Select Cedar	4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 3"	2-15/16"	0	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•				•			•	•		•		
ıporar	Princeton	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2"	1-3/4"	0	Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
Conten	Countess	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2" 7/8" x 3"	2-5/16"	0	Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
O	Monarch	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2" 7/8" x 3"	3"	0	Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
	Victorian	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2"	3-5/8"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
ssic	Manchester	3', 4'	5°	5" x 5"	96"	1-1/2" x 1-1/2"	1-9/16"		Bottom	2" x 6" x 94-1/2" (Bottom) 2" x 3-1/2" x 95" (Top)	•	•												
Clas	Canterbury	3', 4'	5°	5" x 5"	96"	1-1/2" x 1-1/2"	1-9/16"		Bottom	2" x 6" x 94-1/2" (Bottom) 2" x 3-1/2" x 95" (Mid/Top)	•													
Traditional	Danbury Smooth	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•		•										
	Danbury Select Cedar	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•				•								
	Rothbury	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
	Cape Cod	3', 4' 5'	15°	4" x 4" 5" x 5"	72"	7/8" x 3"	2-7/16"		None	1-3/4" x 3-1/2" x 71-1/2"	•													
	Yorkshire	3', 4'	15°	4" x 4"	72"	7/8" x 3"	2-7/16"		None	1-3/4" x 3-1/2" x 71-1/2"	•													
Post & Rail	Post & Rail Smooth	3', 4', 5'	5°	5" x 5"	96"	N/A	N/A		None	1-1/2" x 5-1/2" Ribbed or 2" x 6" Ribbed	•	•												
	Post & Rail CertaGrain	3', 4', 5'	5°	5" x 5"	96" White 72" Blend Colors	N/A	N/A		None	1-1/2" x 5-1/2" Ribbed (white) or 2" x 6" Ribbed (blend colors)	•											•		
	Crossbuck	4'	5°	5" x 5"	96"	N/A	N/A		None	1-1/2" x 5-1/2" Ribbed	•													

**Reinforced top rail for ColorLast® colors *Indicates new color *Accents will reduce the amount of racking